

Yamaha Drive


Nerf Bar/Step Kit instruction manual






Parts List





Kit Contains Nerf bars or Steps not both

Bolts



5/16" Nyloc Nut (10)



5/16" Washer

3/8" Washer (8)



3/8" Nyloc Nut (8)




2 1/4"x4" 3/8" U-Bolt (2)

2 1/4"x3" 3/8" U-Bolt (2)




Yamaha Drive Nerf Bar/ Step Installation




- 1. Install 2 1/4"x 4", 3/8" ubolt over frame in front of cart.
- 2. Install 2 1/4"x 3", 3/8" ubolt over support from frame in rear.
- 3. Hold mounting bracket in place and attach to u-bolts with 3/8" washers and nylock nuts. (Tighten these before next step)
- 4. Drill 5/16" hole in plastic floor brace(honeycombing) and connect bracket with 5/16"x 1" bolt fastening with 5/16" washer and nylock nut.
- 5. Repeat for other side of cart

Yamaha Drive Nerf Bar Installation



- 1. Bolt nerf bar in place to the bracket using (4) 5/16"x1" Bolts, (4) 5/16" washers, and (4) 5/16" nylock nuts.
- 2. Repeat for other side.

Yamaha Drive Step Installation



- 1. Bolt the steps in place to the bracket using (4) 5/16"x1" Bolts, (4) 5/16" washers, and (4) 5/16" nylock nuts.
- 2. Repeat for other side.